

Product List (02.2014)

	EAN Code	Type	Model	Description
Desktop monitors with protective glass				
	4948570111534	19" Protective glass	P1905S-B2	19" LED LCD, 1280 x 1024, TN panel, Protective Glass, 250cd/m ² , 1000:1, Speakers, VGA, DVI-D, 5ms
	4948570112647	22"W FHD Protective glass	P2252HS-B1	22"WIDE LCD, 1920 x 1080, TN panel, LED Bl., Protective Glass, 225cdm ² , 5.000.000:1 ACR, Speakers, HDMI HDCP, VGA, DVI-D, 5ms (21,5VIS)
CCTV Monitor				
CCTV	4948570111527	19" ECO CCTV	C1911S-B3	19" LCD, 1280 x 1024, LED TN Panel, Speakers, VGA, BNC, Audio, Composite (via BNC-RCA Adapter), 250cd/m ² , 1000:1, 5ms
Desktop Monitors 5:4				
17"	4948570110193	17" ECO	E1706S-B1	17" LCD, 1280x1024, TN panel, Speakers, VGA, DVI, 250cd/m ² , 20.000:1 ACR, 5ms, TCO6
	4948570110223	17" Business ECO	B1706S-B1	17" LCD, 1280x1024, Height Adj. Stand, Pivot, Speakers, VGA, DVI, 250cd/m ² , 20.000:1 ACR, 5ms, TCO6
19"	4948570113095	17" Business	B1780S-W1	17" LED LCD, 1280x1024, Height Adj. Stand, Pivot, Speakers, VGA, DVI, 250cd/m ² , >5mln:1 ACR, 5ms, TCO6
	4948570111664	19"	E1980SD-B1	19" LED LCD, 1280x1024, Speakers, VGA, DVI, 250cd/m ² , >5mln:1 ACR, 5ms, TCO6
	4948570111688	19" Business	B1980SD-B1	19" LED LCD, 1280x1024, 13cm Height Adj. Stand, Pivot, Speakers, VGA, DVI, 250cd/m ² , >5mln:1 ACR, 5ms, TCO6
	4948570111671		B1980SD-W1	
Desktop Monitors				
20"W	4948570112753	20"W HD	E2083HD-B1	20" LED LCD, 1600x900,VGA, DVI (cable not included), 250cd/m ² , 5ms, (19,5"VIS), TCO6
	4948570112760	20"W HD	E2083HSD-B1	20" LED LCD, 1600x900,VGA, DVI, Speakers , 250cd/m ² , 5ms, (19,5"VIS), TCO6
	4948570112777	20"W Business HD	B2083HSD-B1	20" LED LCD, 1600x900,VGA, 13cm Height Adj. Stand, DVI, Speakers , 250cd/m ² , 5ms, (19,5"VIS), TCO6
21,5" 1920x1080	4948570112012	21,5" W FHD	E2278HD-GB1	21,5" LED LCD, 1920x1080,TN panel, 250cd/m ² , >5M:1 ACR, VGA, DVI, 5ms
	4948570112029	21,5" W FHD	E2278HSD-GB1	21,5" LED LCD, 1920x1080,TN panel, 250cd/m ² , >5M:1 ACR, Speakers, VGA, DVI, 5ms
	4948570112203	21,5" W FHD	E2282HS-GB1	21,5" LED LCD, 1920x1080,TN panel, 250cd/m ² , >5M:1 ACR, Speakers, VGA, DVI, HDMI, 2ms, TCO6
	4948570111084	21,5"W FHD	E2273HDS-B1	21,5" LED LCD, 1920 x 1080, TN-panel, 250cd/m ² , 5M:1 ACR, Speakers, HDMI, DVI, VGA, 2ms, TCO5
	4948570111701	21,5"W FHD Business	E2280HS-B1	21,5" LED LCD, 1920 x 1080, TN-panel, 250cd/m ² , >5mln:1 ACR, Speakers, HDMI, DVI, VGA, 5ms, TCO6
	4948570111725	21,5W FHD Business	B2280HS-B1	21,5" LED LCD, 1920 x 1080, TN-panel, 13cm Height Adj. Stand, 250cd/m ² , >5mln:1 ACR, Speakers, HDMI, DVI, VGA, 5ms, TCO6
	4948570111718		B2280HS-W1	
22" 16:10	4948570111558	22"W Business 16:10	E2280WSD-B1	22" LED LCD, 1680x1050,TN panel, 250cd/m ² , Speakers, VGA ,DVI, 5ms, TCO6
	4948570111572	22"W Business 16:10	B2280WSD-B1	22" LED LCD, 1680x1050,TN panel, 13cm Height Adj. Stand, 250cd/m ² , Speakers, VGA ,DVI, 5ms, TCO6
	4948570111565		B2280WSD-W1	
IPS 23"	4948570112982	23"W LCD FHD IPS	XU2390HS-B1	23" ULTRA SLIM LINE LED LCD, 1920x1080, IPS -panel, 250 cd/m ² , >5mln:1 ACR, Speakers, VGA, DVI & HDMI, 5ms, TCO6
	4948570111787	23"W LCD FHD IPS	X2380HS-B1	23" LED LCD, 1920x1080, IPS -panel, 250 cd/m ² , >5mln:1 ACR, Speakers, VGA, DVI & HDMI, 5ms, TCO6
	4948570111770	23"W LCD Business FHD IPS	XB2380HS-B1	23" LED LCD, 1920x1080, IPS -panel, Pivot, 13cm Height Adj. Stand, 250 cd/m ² , >5mln:1 ACR, Speakers, VGA, DVI & HDMI, 5ms, TCO6
24"	4948570112197	24"W FHD	E2482HS-GB1	24" LED LCD, 1920x1080, TN-panel, 250cd/m ² , 5M:1 ACR, VGA, HDMI, DVI, 2ms, TCO6, Speakers (23,6"/60cm VIS)
	4948570112784	24"W FHD	E2483HS-B1	24" LED LCD, 1920x1080, 250cd/m ² , 5M:1 ACR, Speakers, VGA, DVI & HDMI, 2ms, Speakers, TCO6
	4948570112043	24"W FHD	E2473HS-GB1	24" LED LCD, 1920x1080, TN-panel, 300cd/m ² , 5M:1 ACR, 2xHDMI, DVI, VGA, X-Res function, 2ms, Speakers (23,6"/60cm VIS)
	4948570111817	24"W FHD	E2480HS-B1	24" LED LCD, 1920x1080, TN-panel, 300cd/m ² , 5M:1 ACR, VGA, HDMI, DVI, 2ms, TCO6, Speakers (23,6"/60cm VIS)
	4948570111862	24"W FHD	E2481HS-B1	24" LED LCD, 1920x1080, TN-panel, 300cd/m ² , 5M:1 ACR, VGA, HDMI, DVI, 2ms, TCO6, Speakers (23,6"/60cm VIS)
	4948570112791	24"W FHD AMVA+	X2483HSU-B1	24" LED LCD, 1920x1080, 4ms, AMVA+ panel, 250cd/m ² , 5M:1 ACR, VGA, HDMI, DVI, USB-HUB, Speakers, TCO6
	4948570112807	24"W FHD AMVA+	XB2483HSU-B1	24" LED LCD, 1920x1080, 4ms, AMVA+ panel, 13cm Height Adj. Stand, 250cd/m ² , 5M:1 ACR, VGA, HDMI, DVI, USB-HUB, Speakers, TCO6
	4948570113071	24"W Business FHD	B2483HS-B1	24" LED LCD, 1920x1080, 250cd/m ² , 13cm Height Adj. Stand, 5M:1 ACR, Speakers, VGA, DVI & HDMI, 2ms, Speakers, TCO6
	4948570111831	24"W Business FHD	B2480HS-B1	24" LED LCD, 1920x1080, 13cm Height Adj. Stand, 300cd/m ² , 5M:1 ACR, VGA, DVI, HDMI, 2ms, Speakers, TCO6 (23,6"/60cm VIS)
	4948570111824	24"W Business FHD	B2480HS-W1	
4948570111879	24"W Business FHD	B2481HS-B1	24" LED LCD, 1920x1080, TN-panel, 13cm Height Adj. Stand, 250cd/m ² , 5M:1 ACR, VGA, DVI, HDMI, 2ms, Speakers, TCO6, super slim bezel, (23,6"/60cm VIS)	

Desktop Monitors

	EAN Code	Type	Model	Description
24" 16:10	4948570112005	24"W Business FHD	X2485WS-B1	24" LED LCD, 1920x1200 , IPS panel, 300cd/m ² , >5mln:1 ACR, DisplayPort, VGA, DVI, 5ms, Speakers, TCO6 (24,1VIS)
	4948570111992	24"W Business FHD	XB2485WSU-B1	24" LED LCD, 1920x1200 , IPS panel, Pivot, Height Adjust., USB-Hub (4xOut), 300cd/m ² , >5mln:1 ACR, DisplayPort, VGA, DVI, 5ms, Speakers, TCO6 (24,1VIS)
27"	4948570112036	27"W FHD	E2773HS-GB1	27" LED LCD, 1920x1080, 300cd/m ² , 5M:1 ACR, Speakers, VGA, DVI & HDMI, X-Res function, 1ms, Speakers
	4948570112876	27"W FHD 144Hz	GB2773HS-GB1	27" LED LCD, 144Hz , 1920x1080, 300cd/m ² , 5M:1 ACR, Speakers, VGA, DVI & HDMI, 13cm height adj. stand, 1ms, Speakers, -GAMER MONITOR-
	4948570112814	27"W FHD AMVA+	X2783HSU-B1	27" LED LCD, 1920x1080, 4ms, AMVA+ panel, 300cd/m ² , 5M:1 ACR, VGA, HDMI, DVI, Speakers, USB-HUB, TCO6
	4948570112821	27"W FHD AMVA+	XB2783HSU-B1	27" LED LCD, 1920x1080, 4ms, AMVA+ panel, 13cm height adj. stand, 300cd/m ² , 5M:1 ACR, VGA, HDMI, DVI, Speakers, USB-HUB, TCO6
	4948570111633	27"W Business FHD	B2776HDS-W2	27" LED LCD, 1920x1080, TN panel, Height Adj. Stand (11cm), 300cd/m ² , 5M:1 ACR, Speakers, VGA, HDMI, DVI, 1ms, Speakers, TCO 5.2
	4948570112258	27"W FHD ECO	B2780HSU-B2	27" LED LCD, 1920x1080, 1ms, TN panel, Height Adj. Stand (11cm), USB-Hub (4x uit), 300cd/m ² , >5mln:1 Statisch contrast, Speakers, VGA, DVI & HDMI, 2ms, TCO6
WQHD	4948570112845	27"W WQHD AH-IPS	XB2779QS-S1	27"WIDE LCD, 2560x1440, WQHD AH-IPS panel, LED Bl., Glass-Front, Height Adjust. (13cm), 440cdm ² , 5.000.000:1 ACR, Speakers, DisplayPort, HDMI HDCP, VGA, DVI-D, 5ms
	4948570112951	27"W WQHD AH-IPS	XB2779QS-B1	
Touchscreen - Windows 8 certified				
21.5"OTM	4948570112746	22"W Optical 5P Touch, (Win8)	T2253MTS-GB1	21,5" LED LCD 'Optical' 5P Touch, 1920x1080, TN Panel, 220cd/m ² , 1000:1, Speakers, VGA, DVI, HDMI, USB-Touch Interface, 2ms, Windows 8 certified
PCAP WINDOWS 8	4948570112364	22"W Projective Capacitive 10P Touch (Win8)	T2236MSC-B1	22" LED LCD Projective Capacitive Bezel Free 10-Points Touch Screen, 1920x1080, AMVA-panel, Flat Bezel Free Glass Front, VGA, DVI-D, HDMI, 225cd/m ² , USB 3.0-Hub (4xOut), 3000:1 Static Contrast, 12ms, Windows 8 certified (21,5"VIS)
	4948570112333	23"W Projective Capacitive 10P Touch (Win8)	T2336MSC-B1	23" LED LCD Projective Capacitive Bezel Free 10-Points Touch Screen, 1920x1080, IPS -panel, Flat Bezel Free Glass Front, VGA, DVI-D, HDMI, 225cd/m ² , USB 3.0-Hub (4xOut), 1000:1 Static Contrast, 5ms, Windows 8 certified
	4948570112241	27"W Projective Capacitive 10P Touch (Win8)	T2735MSC-B1	27" LED LCD Projective Capacitive Bezel Free 10-Points Touch Screen, 1920 x 1080, AMVA+ panel, Flat Bezel Free Glass Front, VGA, DVI-D, HDMI, 260cd/m ² , USB 3.0-Hub (2xOut), 3000:1 Static Contrast, 5ms, Built-in Webcam & Microphone, Windows 8 certified
Professional Touch Displays Small/Medium Size				
Resistive Touch	4948570110711	15" Resistive	T1531SR-B1	15" LCD Resistive Touch Screen, 1024x768, TN panel, Speakers, VGA, DVI, 200cd/m ² , 500:1, 8ms, RS232 & USB Interface, Built-In Power Adapter, VESA 100mm
	4948570110704		T1531SR-W1	
	4948570111176		T1532SR-B1	
	4948570110735	17" Resistive	T1731SR-B1	17" LCD Resistive Touch Screen, 1280 x 1024, TN panel, Speakers, VGA, DVI, 200cd/m ² , 900:1, 5ms, RS232 & USB Interface, Built-In Power Adapter, VESA 100mm
	4948570110728		T1731SR-W1	
	4948570110759	19" Resistive	T1931SR-B1	19" LCD, Resistive Touch Screen, 1280 x 1024, TN panel, Speakers, VGA, DVI, 200cd/m ² , 900:1, 5ms, RS232 & USB Interface, Built-In Power Adapter, VESA 100mm
	4948570110742		T1931SR-W1	
SAW Touch	4948570111138	15" Surface Acoustic Wave (SAW)	T1531SAW-B1	15" LCD, Surface Acoustic Wave Touch Screen, 1024x768, TN panel, Speakers, VGA, DVI, 230cd/m ² , 500:1, 8ms, RS232 & USB Interface, Built-In Power Adapter, VESA 100mm
	4948570111145	17" Surface Acoustic Wave (SAW)	T1731SAW-B1	17" LCD, Surface Acoustic Wave Touch Screen, 1280x1024, TN panel, Speakers, VGA, DVI, 230cd/m ² , 1000:1, 5ms, RS232 & USB Interface, Built-In Power Adapter, VESA 100mm
	4948570111152	19" Surface Acoustic Wave (SAW)	T1931SAW-B1	19" LCD, Surface Acoustic Wave Touch Screen, 1280x1024, TN panel, Speakers, VGA, DVI, 230cd/m ² , 900:1, 5ms, RS232 & USB Interface, Built-In Power Adapter, VESA 100mm


Professional Touch Displays Small/Medium Size

	EAN Code	Type	Model	Description
P-Cap Touch	4948570112340	15,6" Projective Capacitive Dual Touch	T1634MC-B2	15,6" Wide LED LCD, Bezel Free Front, Projective Capacitive Dual Touch, 1366x768, TN panel, VGA, DVI, 225cd/m ² , 500:1, 8ms, USB Interface, External Power Adapter, VESA 100mm, Dual Touch with supported OS
	4948570111961	15" Projective Capacitive Dual Touch	T1532MSC-B1	15" LCD, Bezel Free Front, Projective Capacitive Dual Touch, 1024x768, TN panel, Speakers, VGA, DVI, 225cd/m ² , 500:1, 8ms, USB Interface, Built-In Power Adapter, VESA 100mm, Dual Touch only with supported OS
	4948570111978	17" Projective Capacitive Dual Touch	T1732MSC-B1	17" LCD, Bezel Free Front, Projective Capacitive Dual Touch, 1280x1024, TN panel, Speakers, VGA, DVI, 225cd/m ² , 1000:1, 5ms, USB Interface, Built-In Power Adapter, VESA 100mm, Dual Touch with supported OS.
	4948570112715	17" Projective Capacitive Dual Touch (NO STAND)	T1732MSC-B1 NS	17" LCD, NO STAND, VESA MOUNT, Bezel Free Front, Projective Capacitive Dual Touch, 1280x1024, TN panel, Speakers, VGA, DVI, 225cd/m ² , 1000:1, 5ms, USB Interface, Built-In Power Adapter, VESA 100mm, Dual Touch with supported OS.
	4948570111985	19" Projective Capacitive Dual Touch	T1932MSC-B1	19" LCD, Bezel Free Front, Projective Capacitive Dual Touch, 1280x1024, TN panel, Speakers, VGA, DVI, 225cd/m ² , 800:1, 5ms, USB Interface, Built-In Power Adapter, VESA 100mm, Dual Touch with supported OS
	4948570112630	19" Projective Capacitive Dual Touch (NO STAND)	T1932MSC-B1 NS	19" LCD, NO STAND, VESA MOUNT Bezel Free Front, Projective Capacitive Dual Touch, 1280x1024, TN panel, Speakers, VGA, DVI, 225cd/m ² , 800:1, 5ms, USB Interface, Built-In Power Adapter, VESA 100mm, Dual Touch with supported OS
	4948570111541	22"W Projective Capacitive Dual Touch	T2234MC-B1	21,5" LED LCD, Bezel Free Front, Projective Capacitive Multi-Touch Screen, 1920x1080, IPS -panel, VGA, DVI, 270cd/m ² , 1000:1, 5ms, USB Interface, External Power Adapter, VESA 100mm, Dual Touch only with supported OS
	4948570112623	32"W Projective Capacitive Dual Touch	T3234MSC-B2	32" LED LCD, Bezel Free Front, Projective Capacitive Dual-Touch Screen, 1920x1080, AMVA PID panel, Landscape & Portrait, Speakers, VGA, DVI, 315cd/m ² , 3000:1, 6,5ms, USB Touch-Interface, Built-In Power Adapter, VESA 400x200mm, Dual Touch with supported OS (VIS 31,5")
	4948570112425	32"W Projective Capacitive 10P Touch	T3234MSC-B2X	32" LED LCD, Bezel Free Front, Projective Capacitive Multi-Touch Screen, 1920x1080, AMVA PID panel, Landscape & Portrait, Speakers, VGA, DVI, 315cd/m ² , 3000:1, 6,5ms, USB Touch-Interface, Built-In Power Adapter, VESA 400x200mm, 10P Touch with supported OS (VIS 31,5")
OPTICAL TOUCH	4948570112869	22"W Optical Dual Touch	T2252MTS-B3	21,5" LED LCD 'Optical' Dual Touch, 1920x1080, TN Panel, 220cd/m ² , 1000:1, Speakers, VGA, DVI, HDMI, USB-Touch Interface, 2ms, Optical Dual Camera Sensor, Stylus included, Dual Touch only with supported OS (new stand)
	4948570112852	24"W Optical Dual Touch	T2452MTS-B3	24" LED LCD 'Optical' Dual Touch, 1920x1080, TN Panel, 260 cd/m ² , 1000:1, Speakers, VGA, DVI, 2xHDMI, USB-Touch Interface, 2ms, Dual Touch with supported OS (23,6"/60cm VIS) (new stand)
Openframe - Touchscreen				
	4948570112524	17" LCD Projective Capacitive Dual Touch Bezel Free / Open Frame	TF1732MC-1	17" LCD Projective Capacitive Bezel Free Dual Touch Screen, 1280 x 1024, TN panel, Flat Bezel-free Glass Front, VGA, DVI-D, 225 cd/m ² , 1000:1, 5ms, USB Interface, External Power Adapter, VESA 100mm, MultiTouch only with supported OS, Open frame model, Mounting Brackets included
	4948570112531	19" LCD Projective Capacitive Dual Touch Bezel Free / Open Frame	TF1932MC-1	19" LCD Projective Capacitive Bezel Free Dual Touch Screen, 1280 x 1024, TN panel, Flat Bezel-free Glass Front, VGA, DVI-D, 225 cd/m ² , 800:1, 5ms, USB Interface, External Power Adapter, VESA 100mm, MultiTouch only with supported OS, Open frame model, Mounting Brackets Included
	4948570112357	22"W Projective Capacitive Dual Touch	TF2234MC-B1	22"WIDE LCD Open Frame Projective Capacitive Bezel Free Dual Touch Screen, 1920 x 1080, IPS panel, LED BL., Flat Bezel Free Glass Front, VGA, DVI-D, 225 cd/m ² , 1000:1, 8ms, USB Touch Interface, External Power Adapter, VESA 100mm, MultiTouch only with supported OS, Open frame model, Mounting Brackets Included (21,5VIS)
Large Format Displays				
42" - 55" - 65"	4848570111435	42"W LCD Full HD	LE4262S-B1	42" LCD, 1920x1080, IPS panel, Full Metal Housing, Fan-less, Speakers, Multiple In-/Outputs (VGA, DVI, HDMI and more), 500cd/m ² , 1.500:1 Static Contrast, 5ms, Landscape mode, Ambient Light Sensor, Landscape mode, VESA Mount (Stand/Wallmount not included)
	4948570112654	42"W LCD Full HD	LH4264S-B1	42"WIDE LCD, 1920 x 1080, IPS panel, LED BL., Full Metal Housing, Fan-less, Speakers, Multiple In-/Outputs (VGA, DVI-D, HDMI, DisplayPort and more), 400 cd/m ² , 1000:1 Static Contrast, 9 ms, Landscape or Portrait mode , Ambient Light Sensor, LAN Control (RJ45), VESA Mount (Stand/Wallmount not included/optional)
	4948570112678	46"W LCD Full HD	LH4664S-B1	46"WIDE LCD, 1920 x 1080, AMVA3 panel, LED BL., Full Metal Housing, Fan-less, Speakers, Multiple In-/Outputs (VGA, DVI-D, HDMI, DisplayPort and more), 500 cd/m ² , 4000:1 Static Contrast, 6,5 ms, Landscape or Portrait mode , Ambient Light Sensor, LAN Control (RJ45), VESA Mount (Stand/Wallmount not included/optional)
	4948570112678	46"W LCD Full HD	LH4664S-B1	46"WIDE LCD, 1920 x 1080, AMVA3 panel, LED BL., Full Metal Housing, Fan-less, Speakers, Multiple In-/Outputs (VGA, DVI-D, HDMI, DisplayPort and more), 500 cd/m ² , 4000:1 Static Contrast, 6,5 ms, Landscape or Portrait mode , Ambient Light Sensor, LAN Control (RJ45), VESA Mount (Stand/Wallmount not included/optional)
	4948570112906	47"W LCD Full HD	LH4780SB-B1	47"WIDE LCD, 1920x1080, IPS panel, LED BL., Speakers, Multiple In-/Outputs (VGA, DVI-D, HDMI (2x), DisplayPort and more), 700 cd/m ² , 1300:1 Static Contrast, 12 ms, Landscape or Portrait mode, Ambient Light Sensor, LAN Control (RJ45), OPS Slot, 24/7 Operation, VESA Mount (Stand/Wallmount not included/optional)
	4948570112913	55"W LCD Full HD	LH5580S-B1	55"WIDE LCD, 1920x1080, AMVA3 panel, LED BL., Speakers, Multiple In-/Outputs (VGA, DVI-D, HDMI (2x), DisplayPort and more), 450 cd/m ² , 4000:1 Static Contrast, 6,5 ms, Landscape or Portrait mode, PIP, Ambient Light Sensor, LAN Control (RJ45), OPS Slot, 24/7 Operation, VESA Mount (Stand/Wallmount not included/optional)

Large Touch Displays

	EAN Code	Type	Model	Description
TOUCH 42" - 55" - 65"	4948570112661	42"W IR 6P Touch touch	TH4264MIS-B1	42" LCD 6-Points Touch Screen, 1920x1080, 120Hz IPS panel, LED Bl., Full Metal Housing, Fan-less, Speakers, Multiple In-/Outputs (VGA, DVI-D, HDMI and more), Infra-Red 6P Touch, USB Touch Interface, 400cd/m ² , 1.000:1 Static Contrast, 9ms, Landscape or Portrait mode, Ambient Light Sensor, VESA Mount (Stand/Wallmount not included/optional), MultiTouch only with supported OS
	4948570112685	46"W IR 6P Touch touch	TH4664MIS-B1	46"WIDE LCD 6-Points Touch Screen, 1920 x 1080, AMVA3 panel, LED Bl., Full Metal Housing, Fan-less, Speakers, Multiple In-/Outputs (VGA, DVI-D, HDMI, DisplayPort and more), Infra-Red Touch, USB Touch Interface, 500 cd/m ² , 4000:1 Static Contrast, 6,5 ms, Landscape or Portrait mode, Ambient Light Sensor, LAN Control (RJ45), VESA Mount (Stand/Wallmount not included/optional), MultiTouch only with supported OS
	4948570112135	55"W IR 6P Touch touch	TH5563MIS-B1	55" LCD 6-Points Touch Screen, 1920x1080, 120Hz IPS panel, LED Bl., Full Metal Housing, Fan-less, Speakers, Multiple In-/Outputs (VGA, DVI-D, HDMI and more), Infra-Red 6P Touch, USB Touch Interface, 450cd/m ² , 1.300:1 Static Contrast, 12 ms, Landscape or Portrait mode, Ambient Light Sensor, VESA Mount (Stand/Wallmount not included/optional), MultiTouch only with supported OS
	4948570112722	55"W IR 6P Touch AG	TH5563MIS-B1 AG	55" LCD 6-Points Touch Screen, 1920x1080, 120Hz IPS panel, LED Bl., Full Metal Housing, Fan-less, Speakers, Multiple In-/Outputs (VGA, DVI-D, HDMI and more), Infra-Red 6P Touch, USB Touch Interface, 450cd/m ² , 1.300:1 Static Contrast, 12 ms, Landscape or Portrait mode, Ambient Light Sensor, VESA Mount (Stand/Wallmount not included/optional), MultiTouch only with supported OS mode, Ambient Light Sensor, VESA Mount (Stand/Wallmount not included/optional), MultiTouch only with supported OS, with AG coating
	4948570112708	65"W IR 2P Touch AG	TH6564MIS-B1 AG	65" LCD 2-Points Touch Screen, 1920x1080, AMVA3 panel, LED Bl., Full Metal Housing, Speakers, Multiple In-/Outputs (D-Sub, DVI, HDMI, DisplayPort and more), Infra-Red 2P Touch, USB Touch Interface, 500cd/m ² , 4.000:1 Static Contrast, 8ms, Landscape or Portrait mode, Ambient Light Sensor, AG80 AntiGlare Glass, VESA Mount (Stand/Wallmount not included), MultiTouch only with supported OS

Accessories

MOUNT	4948570031528		MD BRPCV01	VESA Mount Bracket for SFF (Small Form Factor) PC/Media Player. Fits on: B1980SD, B2080HSD, B2280HS/WSD, XB2380HS, B2480HS/HSU, B2481HS, XB2485WSU. (Max 2 Kg)
	4948570031610		MD BRPCV02	VESA Mount Bracket for SFF (Small Form Factor) PC/Media Player. Fits on: B2083HSD / B2483HS / XB2483HSU / XB2783HSU / GB2773HS / XB2776QS-B2 XB2779QS (Max 2 Kg)
STAND	4948570031498	deskstand for 4262 series	OST42	deskstand for LE4262S / TE4262MTS
	4948570031566	deskstand for 4x64 series	OST4X64	deskstand for LH4264S / TH4264MIS / LH4664S / TH4664MIS
	4948570031504	deskstand for 5563 series	OST55	deskstand for LH5563S / TE5563MTS
	4948570031511	deskstand for 6562 series	OST65	Deskstand for LH6563S / TE6563MTS

- Orders for Large Format Displays (sizes 42" and higher) **FREE DELIVERY to Italy, Spain, Portugal, Germany, Sweden, Denmark.** Other sizes, please ask.
- Orders are delivered with payment in advance, unless otherwise agreed.
- iiyama sales condition apply, available on request
- Specifications are subject to change without prior notice
- Sirkom has the right to refuse orders for future delivery

Warranty is 3 years on all standard monitors.

PL C1911S-B* 2 years warranty

Sirkom AV Wholesaler

Tel. **España:** 91 1234 791, 650 419919 - **Deutschland:** 040 739 28854, 0151 143 75754 - **USA:** 0646 513 2923